

FD-2

Texco TEXCO DRILLING LTD

Drilling Date 25.06.01

Copy to:
H63 Marlborough
District Council
Seymour St
Blenheim

028W/099

FILE No.: _____

OFFICER: _____

DATE 4 - JUL 2001

REC'D _____

MARLBOROUGH
DISTRICT COUNCIL

2548700
5957600

[illegible]

Casing Diameter (mm)	150	Screen Length (m)	3.0m
Well Depth	40.9	Slot Size	2.5mm
Final Water Level	11.2	Leader & Diameter	500mm x 140mm dia
Screen Type	Johnson	Set At	37.9 - 40.9

CC:	CLIENT:	☒
	REGIONAL COUNCIL:	☒
	OFFICE X TWO:	☒

Well Owner:	P Jerrett	Drilling Co:	Texco
Address:	Stoneleigh, SH 63, RD 1, Blenheim 7271	Well Number:	028w/0099
Drilling Method:	Tubex	Grid Reference:	2548700 5957600
Driller:	Karl?		
Drilling Date:	Not given, but 1997 resource consent U971180		

Depth from Surface (m)		Strata	
Top	Bottom	Colour	Description
0	1		Top soil fine sandy gravels
1	3.5		Sandy gravels, some clay
3.5	7		Clay-bound gravels
7	11		Clay-bound gravels, some sand
11	18		Large boulders, some small gravels? Sand
18	23		Water-bearing fine sands, gravels
			Extended in 2001 to 41 metres depth

Casing Diameter:	150 mm?	Specific Capacity:	2.6m ³ /hour/m
Well Depth:	23 m		
Final Water Level:	4.5 m		
Screen Type:	Slotted steel		
Slot Size:	3 mm		
Screen Length:	1.5 m		
Set at:	23-21.5 m		
Drawdown:	8 m		

After one hour's pumping at 75 G/min?

Well log transcribed by MDC 2008 due to illegibility.

Prop. 15706

CHRISTCHURCH

Burt Bunnk

FILED 03 649 4043

DISPOSAL BORES, INVESTIGATION DRILLING DISTRICT

LOCALITY Lassen Valley

MAP SHEET No. _____

GRID REFERENCE 2548700-5957600

NZGS WELL No. _____

LAND USE CONSENT No.* U971180

** = top of casing